

# Dust collector bags

Filterfit manufactures and supplies dust collector bags in both industry standard and non-standard sizes.

Bags can be fabricated from woven or needlefelt fabrics. These are available in polyester, polypropylene, Nomex, acrylic, nylon, cotton and many others. This enables the correct selection of fabrics to address most process situations such as temperature, chemical attack, sticky or oily deposits or abrasive dusts.

Fabrics can be supplied with different surface treatments or structures to aid in the release of the dust cake and to assist in dealing with the presence of moisture.

The bags can be customised with additions such as hanging loops, eyelets, steel rings, retainer cords, zippers, belts and buckles, wear patches or windows. Any design or shape can be fabricated to suit your particular application.



Micropul/Filtaire/Controlled Environment/Buhler-style bag



Bag to suit Luhr-style machine



Dalamatic-style bag



Bag to suit Mideco-style machine



Snap cuff bag style A



Snap cuff bag style B



Bag to suit Unimaster-style machine



Various custom made dust bags



Glatt-style fluid bed dryer bag

# Dust collector bags

Part No.	Style	Fabric type	Fabric treatment	Length	Diameter (Nom.)	Weight
9-1101	Mikropul/Filtaire/ Controlled environment	PE needlefelt	Singed finish	1.32m	116/117/118mm	550g/m <sup>2</sup>
9-1102	Mikropul/Filtaire/ Controlled environment	PE needlefelt	Singed finish	1.93m	116/117/118mm	550g/m <sup>2</sup>
9-1103	Mikropul/Filtaire/ Controlled environment	PE needlefelt	Singed finish	2.54m	116/117/118mm	550g/m <sup>2</sup>
9-1104	Mikropul/Filtaire/ Controlled environment	PE needlefelt	Singed finish	3.15m	116/117/118mm	550g/m <sup>2</sup>
9-1105	Mikropul/Filtaire/ Controlled environment	PE needlefelt	Singed finish	3.76m	116/117/118mm	550g/m <sup>2</sup>
9-1106	Mikropul/Filtaire/ Controlled environment	PE needlefelt	Glazed finish	1.32m	116/117/118mm	550g/m <sup>2</sup>
9-1107	Mikropul/Filtaire/ Controlled environment	PE needlefelt	Glazed finish	1.93m	116/117/118mm	550g/m <sup>2</sup>
9-1108	Mikropul/Filtaire/ Controlled environment	PE needlefelt	Glazed finish	2.54m	116/117/118mm	550g/m <sup>2</sup>
9-1109	Mikropul/Filtaire/ Controlled environment	PE needlefelt	Glazed finish	3.15m	116/117/118mm	550g/m <sup>2</sup>
9-1110	Mikropul/Filtaire/ Controlled environment	PE needlefelt	Glazed finish	3.76m	116/117/118mm	550g/m <sup>2</sup>
9-1201	Mikropul/Filtaire/ Controlled environment	PE Epi needlefelt	Singed finish antistatic	1.32m	116/117/118mm	550g/m <sup>2</sup>
9-1202	Mikropul/Filtaire/ Controlled environment	PE Epi needlefelt	Singed finish antistatic	1.93m	116/117/118mm	550g/m <sup>2</sup>
9-1203	Mikropul/Filtaire/ Controlled environment	PE Epi needlefelt	Singed finish antistatic	2.54m	116/117/118mm	550g/m <sup>2</sup>
9-1204	Mikropul/Filtaire/ Controlled environment	PE Epi needlefelt	Singed finish antistatic	3.15m	116/117/118mm	550g/m <sup>2</sup>
9-1205	Mikropul/Filtaire/ Controlled environment	PE Epi needlefelt	Singed finish antistatic	3.76m	116/117/118mm	550g/m <sup>2</sup>
9-1206	Mikropul/Filtaire/ Controlled environment	PE Epi needlefelt	Glazed finish antistatic	1.32m	116/117/118mm	550g/m <sup>2</sup>
9-1207	Mikropul/Filtaire/ Controlled environment	PE Epi needlefelt	Glazed finish antistatic	1.93m	116/117/118mm	550g/m <sup>2</sup>
9-1208	Mikropul/Filtaire/ Controlled environment	PE Epi needlefelt	Glazed finish antistatic	2.54m	116/117/118mm	550g/m <sup>2</sup>
9-1209	Mikropul/Filtaire/ Controlled environment	PE Epi needlefelt	Glazed finish antistatic	3.15m	116/117/118mm	550g/m <sup>2</sup>
9-1210	Mikropul/Filtaire/ Controlled environment	PE Epi needlefelt	Glazed finish antistatic	3.76m	116/117/118mm	550g/m <sup>2</sup>
9-1401	Mikropul/Filtaire/ Controlled environment	Nomex	Singed finish	1.32m	116/117/118mm	500g/m <sup>2</sup>
9-1402	Mikropul/Filtaire/ Controlled environment	Nomex	Singed finish	1.93m	116/117/118mm	500g/m <sup>2</sup>
9-1403	Mikropul/Filtaire/ Controlled environment	Nomex	Singed finish	2.54m	116/117/118mm	500g/m <sup>2</sup>
9-1404	Mikropul/Filtaire/ Controlled environment	Nomex	Singed finish	3.15m	116/117/118mm	500g/m <sup>2</sup>
9-1405	Mikropul/Filtaire/ Controlled environment	Nomex	Singed finish	3.76m	116/117/118mm	500g/m <sup>2</sup>

In addition to the bags listed above Filterfit can manufacture dust collector bags in a range of fabrics and sizes to suit your requirements



Due to on-going product development, Filterfit reserves the right to change design and specifications without notice

# Dust collector bags

Part No.	Style	Fabric type	Fabric treatment	Length	Width	Weight
9-2107	Dalomatic	PE needlefelt	Singed finish	0.7m	500mm	550g/m <sup>2</sup>
9-2110	Dalomatic	PE needlefelt	Singed finish	1.0m	500mm	550g/m <sup>2</sup>
9-2115	Dalomatic	PE needlefelt	Singed finish	1.5m	500mm	550g/m <sup>2</sup>
9-2120	Dalomatic	PE needlefelt	Singed finish	2.0m	500mm	550g/m <sup>2</sup>

9-2121	Dalomatic	PE needlefelt	Glazed finish	0.7m	500mm	550g/m <sup>2</sup>
9-2122	Dalomatic	PE needlefelt	Glazed finish	1.0m	500mm	550g/m <sup>2</sup>
9-2123	Dalomatic	PE needlefelt	Glazed finish	1.5m	500mm	550g/m <sup>2</sup>
9-2124	Dalomatic	PE needlefelt	Glazed finish	2.0m	500mm	550g/m <sup>2</sup>

9-2207	Dalomatic	PE Epi needlefelt	Singed finish antistatic	0.7m	500mm	550g/m <sup>2</sup>
9-2210	Dalomatic	PE Epi needlefelt	Singed finish antistatic	1.0m	500mm	550g/m <sup>2</sup>
9-2215	Dalomatic	PE Epi needlefelt	Singed finish antistatic	1.5m	500mm	550g/m <sup>2</sup>
9-2220	Dalomatic	PE Epi needlefelt	Singed finish antistatic	2.0m	500mm	550g/m <sup>2</sup>

9-2221	Dalomatic	PE Epi needlefelt	Glazed finish antistatic	0.7m	500mm	550g/m <sup>2</sup>
9-2222	Dalomatic	PE Epi needlefelt	Glazed finish antistatic	1.0m	500mm	550g/m <sup>2</sup>
9-2223	Dalomatic	PE Epi needlefelt	Glazed finish antistatic	1.5m	500mm	550g/m <sup>2</sup>
9-2224	Dalomatic	PE Epi needlefelt	Glazed finish antistatic	2.0m	500mm	550g/m <sup>2</sup>

9-2407	Dalomatic	Nomex	Singed finish	0.7m	500mm	500g/m <sup>2</sup>
9-2410	Dalomatic	Nomex	Singed finish	1.0m	500mm	500g/m <sup>2</sup>
9-2415	Dalomatic	Nomex	Singed finish	1.5m	500mm	500g/m <sup>2</sup>
9-2420	Dalomatic	Nomex	Singed finish	2.0m	500mm	500g/m <sup>2</sup>

Part No.	Style	Fabric type	Fabric treatment	Length	Circumference	Weight
9-2510	Luhr	PE needlefelt	Singed finish	1.0m	345mm	550g/m <sup>2</sup>
9-2513	Luhr	PE needlefelt	Singed finish	1.3m	345mm	550g/m <sup>2</sup>
9-2515	Luhr	PE needlefelt	Singed finish	1.5m	345mm	550g/m <sup>2</sup>
9-2520	Luhr	PE needlefelt	Singed finish	2.0m	345mm	550g/m <sup>2</sup>
9-2523	Luhr	PE needlefelt	Singed finish	2.3m	345mm	550g/m <sup>2</sup>

9-2524	Luhr	PE needlefelt	Glazed finish	1.0m	345mm	550g/m <sup>2</sup>
9-2525	Luhr	PE needlefelt	Glazed finish	1.3m	345mm	550g/m <sup>2</sup>
9-2526	Luhr	PE needlefelt	Glazed finish	1.5m	345mm	550g/m <sup>2</sup>
9-2527	Luhr	PE needlefelt	Glazed finish	2.0m	345mm	550g/m <sup>2</sup>
9-2528	Luhr	PE needlefelt	Glazed finish	2.3m	345mm	550g/m <sup>2</sup>

9-2610	Luhr	PE Epi needlefelt	Singed finish antistatic	1.0m	345mm	550g/m <sup>2</sup>
9-2613	Luhr	PE Epi needlefelt	Singed finish antistatic	1.3m	345mm	550g/m <sup>2</sup>
9-2615	Luhr	PE Epi needlefelt	Singed finish antistatic	1.5m	345mm	550g/m <sup>2</sup>
9-2620	Luhr	PE Epi needlefelt	Singed finish antistatic	2.0m	345mm	550g/m <sup>2</sup>
9-2623	Luhr	PE Epi needlefelt	Singed finish antistatic	2.3m	345mm	550g/m <sup>2</sup>

9-2624	Luhr	PE Epi needlefelt	Glazed finish antistatic	1.0m	345mm	550g/m <sup>2</sup>
9-2625	Luhr	PE Epi needlefelt	Glazed finish antistatic	1.3m	345mm	550g/m <sup>2</sup>
9-2626	Luhr	PE Epi needlefelt	Glazed finish antistatic	1.5m	345mm	550g/m <sup>2</sup>
9-2627	Luhr	PE Epi needlefelt	Glazed finish antistatic	2.0m	345mm	550g/m <sup>2</sup>
9-2628	Luhr	PE Epi needlefelt	Glazed finish antistatic	2.3m	345mm	550g/m <sup>2</sup>

9-2710	Luhr	Nomex	Singed finish	1.0m	345mm	500g/m <sup>2</sup>
9-2713	Luhr	Nomex	Singed finish	1.3m	345mm	500g/m <sup>2</sup>
9-2715	Luhr	Nomex	Singed finish	1.5m	345mm	500g/m <sup>2</sup>
9-2720	Luhr	Nomex	Singed finish	2.0m	345mm	500g/m <sup>2</sup>
9-2723	Luhr	Nomex	Singed finish	2.3m	345mm	500g/m <sup>2</sup>

In addition to the bags listed above Filterfit can manufacture dust collector bags in a range of fabrics and sizes to suit your requirements



Due to on-going product development, Filterfit reserves the right to change design and specifications without notice

# Dust collector bags

Part No.	Style	Fabric type	Fabric treatment	Pocket width	Pocket depth	Weight
9-3040	Unimaster UMA-40 (9 Pocket)	PE needlefelt	Singed finish	400mm	570mm	410g/m <sup>2</sup>
9-3070	Unimaster UMA-70 (12 Pocket)	PE needlefelt	Singed finish	500mm	500mm	410g/m <sup>2</sup>
9-3110	Unimaster UMA-100 (18 Pocket)	PE needlefelt	Singed finish	500mm	500mm	410g/m <sup>2</sup>
9-3115	Unimaster UMA-150 (18 Pocket)	PE needlefelt	Singed finish	680mm	550mm	410g/m <sup>2</sup>
9-3125	Unimaster UMA-250 (29 Pocket)	PE needlefelt	Singed finish	680mm	550mm	410g/m <sup>2</sup>
9-3135	Unimaster UMA-350 (2x14 Pocket)	PE needlefelt	Singed finish	940mm	710mm	410g/m <sup>2</sup>
9-3145	Unimaster UMA-450 (2x18 Pocket)	PE needlefelt	Singed finish	870mm	690mm	410g/m <sup>2</sup>
9-3175	Unimaster UMA-750 (18 Pocket)	PE needlefelt	Singed finish	870mm	690mm	410g/m <sup>2</sup>

9-3204	Unimaster UMA-40 (9 Pocket)	PE Epi needlefelt	Singed finish antistatic	400mm	570mm	410g/m <sup>2</sup>
9-3207	Unimaster UMA-80 (12 Pocket)	PE Epi needlefelt	Singed finish antistatic	500mm	500mm	410g/m <sup>2</sup>
9-3210	Unimaster UMA-100 (18 Pocket)	PE Epi needlefelt	Singed finish antistatic	500mm	500mm	410g/m <sup>2</sup>
9-3215	Unimaster UMA-150 (18 Pocket)	PE Epi needlefelt	Singed finish antistatic	680mm	550mm	410g/m <sup>2</sup>
9-3225	Unimaster UMA-250 (29 Pocket)	PE Epi needlefelt	Singed finish antistatic	680mm	550mm	410g/m <sup>2</sup>
9-3235	Unimaster UMA-350 (2x14 Pocket)	PE Epi needlefelt	Singed finish antistatic	940mm	710mm	410g/m <sup>2</sup>
9-3245	Unimaster UMA-450 (2x18 Pocket)	PE Epi needlefelt	Singed finish antistatic	870mm	690mm	410g/m <sup>2</sup>
9-3275	Unimaster UMA-750 (18 Pocket)	PE Epi needlefelt	Singed finish antistatic	870mm	690mm	410g/m <sup>2</sup>

9-3304	Unimaster UMA-40 (9 Pocket)	Woven cotton	N/A	400mm	570mm	340g/m <sup>2</sup>
9-3307	Unimaster UMA-80 (12 Pocket)	Woven cotton	N/A	500mm	500mm	340g/m <sup>2</sup>
9-3310	Unimaster UMA-100 (18 Pocket)	Woven cotton	N/A	500mm	500mm	340g/m <sup>2</sup>
9-3315	Unimaster UMA-150 (18 Pocket)	Woven cotton	N/A	680mm	550mm	340g/m <sup>2</sup>
9-3325	Unimaster UMA-250 (29 Pocket)	Woven cotton	N/A	680mm	550mm	340g/m <sup>2</sup>
9-3335	Unimaster UMA-350 (2x14 Pocket)	Woven cotton	N/A	940mm	710mm	340g/m <sup>2</sup>
9-3345	Unimaster UMA-450 (2x18 Pocket)	Woven cotton	N/A	870mm	690mm	340g/m <sup>2</sup>
9-3375	Unimaster UMA-750 (18 Pocket)	Woven cotton	N/A	870mm	690mm	340g/m <sup>2</sup>

In addition to the bags listed above Filterfit can manufacture dust collector bags in a range of fabrics and sizes to suit your requirements



Due to on-going product development, Filterfit reserves the right to change design and specifications without notice

# Dust collector bags

Part No.	Style	Fabric type	Fabric treatment	Pocket width	Pocket depth	Weight
9-3500	Mideco reverse air	PE needlefelt	Singed finish	920mm	1170mm	550g/m <sup>2</sup>
9-3505	Mideco reverse air	PE Epi needlefelt	Singed finish antistatic	920mm	1170mm	550g/m <sup>2</sup>
9-3510	Mideco reverse air	PE needlefelt	Singed finish	920mm	1170mm	410g/m <sup>2</sup>
9-3515	Mideco reverse air	PE Epi needlefelt	Singed finish antistatic	920mm	1170mm	410g/m <sup>2</sup>
9-3516	Mideco reverse air	PE needlefelt	Glazed finish	920mm	1170mm	550g/m <sup>2</sup>
9-3517	Mideco reverse air	PE Epi needlefelt	Glazed finish antistatic	920mm	1170mm	550g/m <sup>2</sup>

9-3520	Mideco shaker	PE needlefelt	Singed finish	910mm	1120mm	550g/m <sup>2</sup>
9-3525	Mideco shaker	PE Epi needlefelt	Singed finish antistatic	910mm	1120mm	550g/m <sup>2</sup>
9-3530	Mideco shaker	PE needlefelt	Singed finish	910mm	1120mm	410g/m <sup>2</sup>
9-3535	Mideco shaker	PE Epi needlefelt	Singed finish antistatic	910mm	1120mm	410g/m <sup>2</sup>

9-3540	Mideco economy pulse	PE needlefelt	Singed finish	910mm	1070mm	550g/m <sup>2</sup>
9-3545	Mideco economy pulse	PE Epi needlefelt	Singed finish antistatic	910mm	1070mm	550g/m <sup>2</sup>
9-3550	Mideco economy pulse	PE needlefelt	Singed finish	910mm	1070mm	550g/m <sup>2</sup>
9-3555	Mideco economy pulse	PE Epi needlefelt	Singed finish antistatic	910mm	1070mm	550g/m <sup>2</sup>
9-3556	Mideco economy pulse	PE needlefelt	Glazed finish	910mm	1070mm	550g/m <sup>2</sup>
9-3557	Mideco economy pulse	PE Epi needlefelt	Glazed finish antistatic	910mm	1070mm	550g/m <sup>2</sup>

Part No.	Style	Fabric type	Fabric treatment	Length	Diameter C.P.O. *	Weight
9-8900	Snap cuff	PE needlefelt	Singed finish	0.8m	124mm	550g/m <sup>2</sup>
9-8905	Snap cuff	PE needlefelt	Singed finish	1.0m	124mm	550g/m <sup>2</sup>
9-8909	Snap cuff	PE needlefelt	Singed finish	1.5m	124mm	550g/m <sup>2</sup>
9-8912	Snap cuff	PE needlefelt	Singed finish	2.0m	124mm	550g/m <sup>2</sup>
9-8916	Snap cuff	PE needlefelt	Singed finish	2.5m	124mm	550g/m <sup>2</sup>
9-8924	Snap cuff	PE needlefelt	Singed finish	3.0m	124mm	550g/m <sup>2</sup>

9-8928	Snap cuff	PE Epi needlefelt	Singed finish anti-static	0.8m	124mm	550g/m <sup>2</sup>
9-8933	Snap cuff	PE Epi needlefelt	Singed finish anti-static	1.0m	124mm	550g/m <sup>2</sup>
9-8936	Snap cuff	PE Epi needlefelt	Singed finish anti-static	1.5m	124mm	550g/m <sup>2</sup>
9-8940	Snap cuff	PE Epi needlefelt	Singed finish anti-static	2.0m	124mm	550g/m <sup>2</sup>
9-8944	Snap cuff	PE Epi needlefelt	Singed finish anti-static	2.5m	124mm	550g/m <sup>2</sup>
9-8952	Snap cuff	PE Epi needlefelt	Singed finish anti-static	3.0m	124mm	550g/m <sup>2</sup>

Part No.	Style	Fabric type	Fabric treatment	Length	Diameter C.P.O. *	Weight
9-4108	Snap cuff	PE needlefelt	Singed finish	0.8m	135mm	550g/m <sup>2</sup>
9-4110	Snap cuff	PE needlefelt	Singed finish	1.0m	135mm	550g/m <sup>2</sup>
9-4112	Snap cuff	PE needlefelt	Singed finish	1.2m	135mm	550g/m <sup>2</sup>
9-4115	Snap cuff	PE needlefelt	Singed finish	1.5m	135mm	550g/m <sup>2</sup>
9-4118	Snap cuff	PE needlefelt	Singed finish	1.8m	135mm	550g/m <sup>2</sup>
9-4120	Snap cuff	PE needlefelt	Singed finish	2.0m	135mm	550g/m <sup>2</sup>
9-4125	Snap cuff	PE needlefelt	Singed finish	2.5m	135mm	550g/m <sup>2</sup>
9-4130	Snap cuff	PE needlefelt	Singed finish	3.0m	135mm	550g/m <sup>2</sup>
9-4150	Snap cuff	PE needlefelt	Singed finish	5.0m	135mm	550g/m <sup>2</sup>
9-4160	Snap cuff	PE needlefelt	Singed finish	6.0m	135mm	550g/m <sup>2</sup>

\* C.P.O. = diameter of cell plate opening

In addition to the bags listed above Filterfit can manufacture dust collector bags in a range of fabrics and sizes to suit your requirements



Due to on-going product development, Filterfit reserves the right to change design and specifications without notice

# Dust collector bags

Part No.	Style	Fabric type	Fabric treatment	Length	Diameter C.P.O. *	Weight
9-4208	Snap cuff	PE Epi needlefelt	Singed finish anti-static	0.8m	135mm	550g/m <sup>2</sup>
9-4210	Snap cuff	PE Epi needlefelt	Singed finish anti-static	1.0m	135mm	550g/m <sup>2</sup>
9-4212	Snap cuff	PE Epi needlefelt	Singed finish anti-static	1.2m	135mm	550g/m <sup>2</sup>
9-4215	Snap cuff	PE Epi needlefelt	Singed finish anti-static	1.5m	135mm	550g/m <sup>2</sup>
9-4218	Snap cuff	PE Epi needlefelt	Singed finish anti-static	1.8m	135mm	550g/m <sup>2</sup>
9-4220	Snap cuff	PE Epi needlefelt	Singed finish anti-static	2.0m	135mm	550g/m <sup>2</sup>
9-4225	Snap cuff	PE Epi needlefelt	Singed finish anti-static	2.5m	135mm	550g/m <sup>2</sup>
9-4230	Snap cuff	PE Epi needlefelt	Singed finish anti-static	3.0m	135mm	550g/m <sup>2</sup>
9-4250	Snap cuff	PE Epi needlefelt	Singed finish anti-static	5.0m	135mm	550g/m <sup>2</sup>
9-4260	Snap cuff	PE Epi needlefelt	Singed finish anti-static	6.0m	135mm	550g/m <sup>2</sup>

Part No.	Style	Fabric type	Fabric treatment	Length	Diameter C.P.O. *	Weight
9-5108	Snap cuff	PE needlefelt	Singed finish	0.8m	158mm	550g/m <sup>2</sup>
9-5110	Snap cuff	PE needlefelt	Singed finish	1.0m	158mm	550g/m <sup>2</sup>
9-5112	Snap cuff	PE needlefelt	Singed finish	1.2m	158mm	550g/m <sup>2</sup>
9-5115	Snap cuff	PE needlefelt	Singed finish	1.5m	158mm	550g/m <sup>2</sup>
9-5118	Snap cuff	PE needlefelt	Singed finish	1.8m	158mm	550g/m <sup>2</sup>
9-5120	Snap cuff	PE needlefelt	Singed finish	2.0m	158mm	550g/m <sup>2</sup>
9-5125	Snap cuff	PE needlefelt	Singed finish	2.5m	158mm	550g/m <sup>2</sup>
9-5130	Snap cuff	PE needlefelt	Singed finish	3.0m	158mm	550g/m <sup>2</sup>
9-5135	Snap cuff	PE needlefelt	Singed finish	3.5m	158mm	550g/m <sup>2</sup>
9-5140	Snap cuff	PE needlefelt	Singed finish	4.0m	158mm	550g/m <sup>2</sup>
9-5145	Snap cuff	PE needlefelt	Singed finish	4.5m	158mm	550g/m <sup>2</sup>
9-5150	Snap cuff	PE needlefelt	Singed finish	5.0m	158mm	550g/m <sup>2</sup>
9-5155	Snap cuff	PE needlefelt	Singed finish	5.5m	158mm	550g/m <sup>2</sup>
9-5160	Snap cuff	PE needlefelt	Singed finish	6.0m	158mm	550g/m <sup>2</sup>

Part No.	Style	Fabric type	Fabric treatment	Length	Diameter C.P.O. *	Weight
9-5208	Snap cuff	PE Epi needlefelt	Singed finish anti-static	0.8m	158mm	550g/m <sup>2</sup>
9-5210	Snap cuff	PE Epi needlefelt	Singed finish anti-static	1.0m	158mm	550g/m <sup>2</sup>
9-5212	Snap cuff	PE Epi needlefelt	Singed finish anti-static	1.2m	158mm	550g/m <sup>2</sup>
9-5215	Snap cuff	PE Epi needlefelt	Singed finish anti-static	1.5m	158mm	550g/m <sup>2</sup>
9-5218	Snap cuff	PE Epi needlefelt	Singed finish anti-static	1.8m	158mm	550g/m <sup>2</sup>
9-5220	Snap cuff	PE Epi needlefelt	Singed finish anti-static	2.0m	158mm	550g/m <sup>2</sup>
9-5225	Snap cuff	PE Epi needlefelt	Singed finish anti-static	2.5m	158mm	550g/m <sup>2</sup>
9-5230	Snap cuff	PE Epi needlefelt	Singed finish anti-static	3.0m	158mm	550g/m <sup>2</sup>
9-5235	Snap cuff	PE Epi needlefelt	Singed finish anti-static	3.5m	158mm	550g/m <sup>2</sup>
9-5240	Snap cuff	PE Epi needlefelt	Singed finish anti-static	4.0m	158mm	550g/m <sup>2</sup>
9-5245	Snap cuff	PE Epi needlefelt	Singed finish anti-static	4.5m	158mm	550g/m <sup>2</sup>
9-5250	Snap cuff	PE Epi needlefelt	Singed finish anti-static	5.0m	158mm	550g/m <sup>2</sup>
9-5255	Snap cuff	PE Epi needlefelt	Singed finish anti-static	5.5m	158mm	550g/m <sup>2</sup>
9-5260	Snap cuff	PE Epi needlefelt	Singed finish anti-static	6.0m	158mm	550g/m <sup>2</sup>

\* C.P.O. = diameter of cell plate opening

In addition to the bags listed above Filterfit can manufacture dust collector bags in a range of fabrics and sizes to suit your requirements



Due to on-going product development, Filterfit reserves the right to change design and specifications without notice